Listing of Claims

Claims 1-21 (canceled)

- 22. (currently amended) A kit comprising:
- a.—a membrane array for detecting biomolecules in a sample, said array comprising a plurality of membranes, wherein each of said plurality of membranes have has substantially a same affinity for said biomolecules; and
- b.—containers of antibodies or probes for detecting biomolecules captured on each membrane,

wherein said membranes are separable from each other.

- 23. (original) The kit according to claim 22 wherein said membranes comprise a polymer substrate coated with a material for increasing an affinity of said substrate to said biomolecules.
- 24. (currently amended) The kit according to claim 23 wherein said coating material is comprises nitrocellulose.
- 25. (currently amended) The kit according to claim 22 <u>wherein</u> said antibodies or probes are specific capture molecules for biomolecules sought to be detected on particular membranes of said array.
- 26. (original) The kit according to claim 25 wherein each container contains an antibody cocktail.
- 27. (original) The kit according to claim 22 wherein said plurality of membranes have a low capacity for said biomolecules.
- 28. (original) The kit according to claim 22 wherein said plurality of membranes each have a thickness of less than about 30 microns.

Page 2 of 5

Claims 29-31 (canceled)

- 32. (new) The kit of claim 22, wherein each of said plurality of membranes comprises a porous substrate having a thickness of less than 30 microns and no less than 4 microns.
- 33. (new) The kit of claim 22, wherein said plurality of membranes comprises 50 or more of said membranes.
- 34. (new) The kit of claim 22, wherein one or more of said membranes comprise a material for increasing an affinity of at least one of said membranes to the biomolecules.
- 35. (new) The kit of claim 34, wherein said material is coated on one or more of said membranes.
- 36. (new) The kit of claim 34, wherein said material for increasing affinity is selected from the group consisting of nitrocellulose, poly-L-lysine, and mixtures thereof.
- 37. (new) The kit of claim 32, wherein said porous substrate comprises polycarbonate, cellulose acetate, or mixtures thereof.
- 38. (new) The kit of claim 36, wherein said porous substrate is a polycarbonate substrate.
 - 39. (new) The kit of claim 22, wherein said sample is a tissue section.
 - 40. (new) The kit of claim 22, wherein said sample is a DNA sample.
- 41. (new) The kit of claim 22, wherein said sample is a microarray, and the microarray comprises a plurality of DNA probes, antibodies or a combination thereof.

Page 3 of 5

- 42. (new) The kit of claim 22, wherein said sample is a gel.
- 43. (new) The kit of claim 22, wherein said sample is contained in a microtiter plate.
- 44. (new) A kit for use in a method of making multiple substantial replicas of a biomolecular content of a sample, which method comprises:

providing a stack of membranes, wherein said membranes permit biomolecules applied to said stack to move through multiple of said membranes, while capturing at least a portion of said biomolecules on the multiple membranes; and

applying said sample to said stack of membranes, under conditions that (a) allow at least a portion of said biomolecules to elute from the sample through the stack of membranes, and (b) allow said multiple membranes to capture at least a portion of said biomolecules from said sample, thereby forming said multiple substantial replicas of the biomolecular content of the sample, wherein the biomolecules have a relative relationship to each other in at least two dimensions within the sample, and wherein each of the substantial replicas maintains the relative relationship of the biomolecules,

the kit comprising:

a stack of membranes, said stack of membranes comprising a plurality of membranes each of which is separable from the array after said sample is applied thereto, wherein each of said plurality of membranes has substantially a same affinity for said biomolecules; and

containers of antibodies or probes for detecting biomolecules captured on each membrane.